


F I G. 1



F I G. 2

 $[K] < VODJ[K] < VNAMED > OOO[K] < ALMA MATERDA UNIVERSITY[K] < RIRTHPLAGED > O [K] < SEXDMALE[K][R] \\ [K] < VNDJ[K] < VNAMED \times X \times X K] < ALMA MATERDB UNIVERSITY[K] < RIRTHPLAGED \times X [K] < SEXDFEMALE[K][R] \\ [K] < VNDJ[K] < VNAMED \to \to \to [K] < ALMA MATERD < OUIVERSITY[K] < RIRTHPLAGED \to \to K] < SEXDMALE[K][R] \\ [K] < VNDJ[K] < VNAMED \to \to K] < SEXDMALE[K][R] \\ [K] < VNDJ[K] < VNAMED \to \to K] < SEXDMALE[K][R] \\ [K] < VNDJ[K] < VNAMED \to VNAMED \to VNAMED \to VNAMED[K][R] \\ [K] < VNDJ[K] < VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED[K][R] \\ [K] < VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED[K][R] \\ [K] < VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED[K][R] \\ [K] < VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED[K][R] \\ [K] < VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED[K][R] \\ [K] < VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED[K][R] \\ [K] < VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED[K][R] \\ [K] < VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED \to VNAMED[K][R] \\ [K] < VNAMED \to VNAM$

	ITEM TAG	SEARCH WORD	
Α	<name></name>	0000	
В	<alma mater=""> AA UNIVERSITY</alma>		
SEARCH CONDITION FORMULA	A and B		


F I G. 4

Р	ERSONNEL INFORMATION SEARCH CONDITIONS	
NAME	0000	
ALMA MATER	AA UNIVERSITY	•
BIRTHPLACE		•
SEX	▼	


F I G. 5

	PERSONNEL INFORMATION SEARCH RESULTS	
NO	1	1/1
NAME	0000	
ALMA MATER	AA UNIVERSITY	
BIRTHPLACE	00	
SEX	MALE	


F I G. 6




F I G. 8




F I G. 9



F I G. 10



F I G. 11



F I G. 12

<u>29</u>				
C	⊃ 29a	29b	29c	29d
	کہ		ر	
	SEARCH SERVER NAME	ADDRESS	STATE FLAG	FLAG'IN CHARGE OF UPDATE FILE
	SEARCH SERVER a	15. 85. 145. 01	0	0
	SEARCH SERVER b	15. 85. 145. 02	0	0
	SEARCH SERVER c	15. 85. 145. 03	1	0
	SEARCH SERVER d	15. 85. 145. 04	0	0
	SEARCH SERVER e	14. 85. 145. 05	0	1


F I G. 13

30	30a	30b	30c
	RECORD NO.	TOP ADDRESS OF RECORD	LENGTH OF RECORD
	1	0	250
	2	250	580
	3	830	322
	4	1152	108.
	·		
	•		
	2351	452442	242

F I G. 14


47	47a	47b	47c
	RECORD NO.	TOP ADDRESS OF RECORD	LENGTH OF RECORD
	1	0	250
	2	250	580
	3	830	322
	4	1152	108
	•		
	•		
L	•		
	784	168997	206

F I G. 15




F I G. 16

₩



F I G. 18




F I G. 19




RECORD NO.	TOP ADDRESS OF RECORD	LENGTH OF RECORD
2352	0	224
2353	224	108
282	332	306
2354	638	278

F I G. 20



F I G. 21




F I G. 22

<u>32</u>

SEARCH	REQUEST	0F	TERMINAL	A
SEARCH	REQUEST	0F	TERMINAL	В
SEARCH	REQUEST	0F	TERMINAL	С

33 C _N	33a	33b	33c	33d
SEARCH SERVER NAME	FLAG IN CHARGE OF UPDATE FILE	PROCESSING RESULT FLAG	PROCESSING FINISHING TIME	HIT RECORD NO.
SEARCH SERVER a	0			
SEARCH SERVER b	0			
SEARCH SERVER d	0			
SEARCH SERVER e	1			

F I G. 24




F I G. 25


HIT RECORD NO.	
2, 245, 501	


33 \(\frac{3}{\psi}\)	33a	33b	33c	33d
SEARCH SERVER NAME	FLAG IN CHARGE OF UPDATE FILE	PROCESSING RESULT FLAG	PROCESSING FINISHING TIME	HIT RECORD NO.
SEARCH SERVER a	0	1	102601541	2, 245, 501
SEARCH SERVER b	0	1	102601545	
SEARCH SERVER d	0	2		
SEARCH SERVER e	1	1	102601538	2353

F I G. 27



F I G. 28






F I G. 30

29 29a	≥ ^{29d}	≤ ^{29b}	≥ ^{29c}
SEARCH SERVER NAME	FLAG IN CHARGE OF UPDATE FILE	ADDRESS	STATE FLAG
SEARCH SERVER a	0	15. 85. 145. 01	0
SEARCH SERVER b	0	15. 85. 145. 02	0
SEARCH SERVER c	0	15. 85. 145. 03	1
SEARCH SERVER d	0	15. 85. 145. 04	1
SEARCH SERVER e	1	15. 85. 145. 05	0


F I G. 31




F I G. 32

47 5 ⁴⁷ a	≤ ^{47b}	≤ ^{47c}
RECORD NO.	TOP ADDRESS OF RECORD	LENGTH OF RECORD
1	0	250
2	250	580
3	830	322
4	1152	108
•		
-		
1179	246146	188

F I G. 33





F I G. 35




FIG.36

76a	76b	76c
RECEPTIONIST SERVER NAME	ADDRESS	STATE FLAG
RECEPTIONIST SERVER a	16. 85. 102. 01	0
RECEPTIONIST SERVER b	22. 36. 155. 02	0
RECEPTIONIST SERVER c	18. 24. 233. 01	0
RECEPTIONIST SERVER d	34. 26. 111. 01	1
RECEPTIONIST SERVER e	45. 88. 188. 02	0

F I G. 37




FIG. 38

77a	77b 5		77c 5
RECEPTIONIST SERVER NAME	PROCESSING RESULT FLAG	SEARCH RESULT	
RECEPTIONIST SERVER a			
RECEPTIONIST SERVER b			
RECEPTIONIST SERVER c			
RECEPTIONIST SERVER c			

F I G. 39




FIG. 40

CONTESTS OF HIT RECORD

FIG. 41

77a	77b	77c
RECEPTIONIST SERVER NAME	PROCESSING RESULT FLAG	SEARCH RESULT
RECEPTIONIST SERVER a	1	[K] <name>OOO</name>
RECEPTIONIST SERVER b	1	
RECEPTIONIST SERVER c	2	
RECEPTIONIST SERVER e	1	[K] <name>OOO</name>

F I G. 42

76a	76b	76c
RECEPTIONIST SÉRVER NAME	ADDRESS	STATE FLAG
RECEPTIONIST SERVER a	16. 85. 102. 01	0
RECEPTIONIST SERVER b	22. 36. 155. 02	0
RECEPTIONIST SERVER c	18. 24. 233. 01	1
RECEPTIONIST SERVER d	34. 26. 111. 01	1
RECEPTIONIST SERVER e	45. 88. 188. 02	0

F I G. 43